

Multiple-Casualty Incidents

From Brady's First Responder (8th Edition)
17 Questions

1. What respiratory rate range is considered normal for the pediatric patient?

p. 562

- A.) 30 to 55 breaths per minute
- B.) 20 to 60 breaths per minute
- *C.) 15 to 45 breaths per minute
- D.) 12 to 36 breaths per minute

2. What should be done if the patient has a respiratory rate of less than 30 per minute?

p. 558

- A.) Assess cognition
- B.) Assess mental status
- C.) Assess coordination
- *D.) Assess perfusion

3. Which pulse should be checked in patients who are breathing?

p. 558

- A.) Femoral
- *B.) Radial
- C.) Carotid
- D.) Brachial

4. What should the pediatric child with a respiratory rate of 8 breaths per minute be categorized as?

p. 560

- A.) Minor
- B.) Deceased
- C.) Delayed
- *D.) Immediate

5. What coloration will the skin have when the patient is suffering from insulin shock?

p. 564

- *A.) Pale
- B.) Flushed
- C.) Blue
- D.) Red

6. What is the patient categorized who is able to follow simple commands?

p. 560

- A.) Immediate
- B.) Deceased
- C.) Minor
- *D.) Delayed

7. What are all unresponsive breathing patients categorized as under the START triage process?

p. 560

- A.) Delayed
- *B.) Immediate
- C.) Minor
- D.) Deceased

8. Which of the following should be suspected when there is a slow, strong pulse?

p. 564

- A.) Falling blood pressure
- B.) Shock
- C.) Fear
- *D.) Stroke

9. Which of the following could coughing blood indicate?

p. 564

- A.) Lung damage due to heat
- B.) Drug or alcohol abuse
- *C.) Chest wound
- D.) High blood pressure

10. When was the first formal incident management system formed?

p. 555

- *A.) 1970's
- B.) 1990's
- C.) 1980's
- D.) 1960's

11. What category will patients with respirations above 30 per minute fit into?

p. 558

- A.) Deceased
- B.) Minor
- C.) Delayed
- *D.) Immediate

12. What is the process of sorting patients into categories and prioritizing their medical care and transport?

p. 556

- A.) Tagging
- B.) Flagging
- C.) Management
- *D.) Triage

13. What would a pediatric patient who is alert, responsive to voice and pain be categorized as?

p. 561

- A.) Immediate
- B.) Deceased
- C.) Minor
- *D.) Delayed

14. Which of the following is NOT used as a criteria in the START triage system?

p. 558

- A.) Respirations
- B.) Perfusion
- C.) Mental status
- *D.) Coordination

15. Up to what age group is the JumpSTART triage system used on?

p. 561

- A.) 12 year olds
- B.) 14 year olds
- *C.) 8 year olds
- D.) 10 year olds

16. Which type of modular structure do most incident management systems employ?

p. 555

- A.) Right-left
- B.) Bottom-up
- *C.) Top-down
- D.) Left-right

17. Which category do the walking wounded fit into initially?

p. 558

- A.) Deceased
- B.) Delayed
- *C.) Minor
- D.) Immediate