


ACA Day 2



Crosscut 4

Crosscut 3

Crosscut 2

Crosscut 1

Entry 3

Entry 2

Entry 1

FRESH AIR BASE

Door

Briefing Officer

Fan Switch

Off

Fan Switch

On

ENTRY #1

3.0% CH₄

9 PPM CO

17.5% O₂

Brattice Cloth

Red Ribbon

Caved Air Tight

Caved Air Tight

Bad Roof

5.0% CH₄

9 PPM CO

19.5% O₂

Used SCSR

3.0% CH₄
9 PPM CO
17.5% O₂

Barricade

CONCIOUS PERSON

Water Roofed

ENTRY #2

3.0% CH₄

9 PPM CO

17.5% O₂

Water Over Knee Deep

Water Over Knee Deep

3.0% CH₄

9 PPM CO

17.5% O₂

Inoperative Pump

Water Knee Deep

Water Knee Deep

Body

Overcast

Brattice Cloth

5.0% CH₄

9 PPM CO

19.5% O₂

Battery Phone

5.0% CH₄

9 PPM CO

19.5% O₂

Water Over Knee Deep

Water Over Knee Deep

Brattice Cloth

Unsafe Rib

FACE

ENTRY #3

Blowing Fan

Brattice Cloth

Axe

5.0% CH₄

9 PPM CO

19.5% O₂

Open Borehole

Battery Man-Trip

5.0% CH₄

9 PPM CO

19.5% O₂

Barricade

Unconscious Person

5.0% CH₄

9 PPM CO

19.5% O₂

5.0% CH₄

9 PPM CO

19.5% O₂

Water Knee Deep

Water Knee Deep

Lunch Pail

9' Air Shaft

FACE

Crosscut #1

Saw

Sump

Water Knee Deep

Water Knee Deep

Body

Permanent Stopping

Line Curtain

Crosscut #2

Continuous Miner

O2 & Acet Tanks damaged

Crosscut #3

5.0% CH₄

9 PPM CO

19.5% O₂

Caved

Jefferey

Scoop

Caved

Brattice Cloth

Brattice Cloth

Crosscut #4

Water Roofed