## 2019 Craig, CO Mine Rescue Written Test Day 1

	Name
	Team
1.	Rescue teams are responsible for damage to the ventilation system.
	a. determining
	b. assessing
	c. correcting
2.	It is the responsibility of rescue team members to have all the
	needed to do the work.
	a. resources
	b. materials
	c. information
3.	The rescue team captain should regulate the team's pace according to
	a. conditions encountered
	b. hazards encountered
	c. surrounding conditions
4.	In situations too hazardous for teams to explore and reventilate safely,
	teams may be to seal the area.
	a. advised
	b. required
	c. instructed
5.	New mine rescue team members must have at least 20 hours of
	on the breathing apparatus used by the team.
	a. training
	b. instruction
	c. introduction

6.	Before the team leaves the fresh-air base to inby, the captain	
	should take note of the time of departure.	
	a. explore	
	b. advance	
	<mark>c. travel</mark>	
7.	It is that the first stop for a team check be just inby the	
	fresh-air base.	
	a. required	
	b. recommended	
	c. suggested	
8.	It is recommended that checks be conducted every 15 to 2 minutes.	:0
	a. apparatus	
	b. gas	
	<mark>c. team</mark>	
9.	It is that the team pace its work so that it can return to the	•
	fresh air base on time.	
	a. important	
	b. recommended	
	c. required	
10	. As the team advances, the map man records what the team encounters	s
	by the information on a mine map.	
	a. recording	
	b. marking	
	c. documenting	
	-	

## 2019 Craig, CO Mine Rescue Written Test Day 1

	Name	
	Team	
1.	Rescue teams are responsible for damage to the ventilationsystem.	on
	a. determining	
	b. assessing	
	c. correcting	
2.	It is the responsibility of rescue team members to have all the	
	needed to do the work.	
	a. resources	
	b. materials	
	c. information	
3.	The rescue team captain should regulate the team's pace according to	)
	a. conditions encountered	
	b. hazards encountered	
	c. surrounding conditions	
4.	In situations too hazardous for teams to explore and reventilate safely	<b>V</b> ,
	teams may be to seal the area.	
	a. advised	
	b. required	
	c. instructed	
5.	New mine rescue team members must have at least 20 hours of	
	on the breathing apparatus used by the team.	
	a. training	
	b. instruction	
	c. introduction	

6.	Before the	team leaves the fresh-air base to inby, the captain
	should tak	ke note of the time of departure.
	a.	explore
	b.	advance
	C.	travel
7.	It is	that the first stop for a team check be just inby the
	fresh-air ba	ase.
	a.	required
	b.	recommended
	c.	suggested
8.	It is recom	mended that checks be conducted every 15 to 20
	minutes.	
	a.	apparatus
	b.	gas
	C.	team
9.	It is	that the team pace its work so that it can return to the
		ase on time.
	a.	important
	b.	recommended
	C.	required
10	. As the tear	m advances, the map man records what the team encounters
	by	the information on a mine map.
	•	recording
	b.	marking
	c.	documenting

	Name
	Team
1.	Firefighters inert gases into areas where they are trying to remove the oxygen leg of the fire triangle.  a. direct  b. force  c. inject
2.	The team is responsible for choosing the exact sites within for building seals.  a. entries b. crosscuts c. headings
3.	Class B fires involve flammable or combustible  a. liquids  b. gases c. solids
4.	Pools of water can release water soluble gases into the air when they are  a. mixed up b. walked through c. stirred up
5.	High expansion foam is light and and can travel long distances to a fire without breaking down.  a. pliable b. resilient c. buoyant

6.	As a team advances, it is important to stay in with	the
	fresh air base/command center.	
	a. constant contact	
	b. constant communication	
	c. close contact	
7.	Hazardous areas should be to warn other teams that may ent	ter
	the area after yours.	
	a. mapped	
	b. indicated	
	<mark>c. marked</mark>	
	Team captains should roof and ribs before the team members	
	advance into the area.	
	<mark>a. inspect</mark>	
	b. examine	
	c. test	
9.	Hazardous areas should be marked to warn other teams that may enter the	)
	area after	
	a. explosions	
	b. fires	
	<mark>c. yours</mark>	
10.	Elevators should be before use following a disaster.	
	a. examined	
	<mark>b. tested</mark>	
	c. inspected	

	Name
	Team
1.	Firefighters inert gases into areas where they are trying to remove the oxygen leg of the fire triangle.  a. direct b. force c. inject
2.	The team is responsible for choosing the exact sites within for building seals.  a. entries b. crosscuts c. headings
3.	Class B fires involve flammable or combustible  a. liquids  b. gases c. solids
4.	Pools of water can release water soluble gases into the air when they are  a. mixed up b. walked through c. stirred up
5.	High expansion foam is light and and can travel long distances to a fire without breaking down.  a. pliable b. resilient c. buoyant

6.	As a team a	advances, it is import	ant to stay in	$\underline{}$ with the
	fresh air ba	se/command center.		
	a.	constant contact		
	b.	constant communica	ation	
	c.	close contact		
7.	Hazardous	areas should be	to warn other te	ams that may enter
	the area aft	ter yours.		
	a.	mapped		
	b.	indicated		
	C.	marked		
8.	Team capta	ains should	roof and ribs before the	team members
	advance in	to the area.		
	a.	inspect		
	b.	examine		
	c.	test		
9.	Hazardous	s areas should be mar	ked to warn other teams th	nat may enter the
	area after _	·		
	a.	explosions		
	b.	fires		
	C.	yours		
10.	Elevators s	should be	before use following a disa	ster.
	a.	examined		
	b.	tested		
	C.	inspected		