2023 Kansas Shoot-out Mine Rescue Competition Hutchinson, Kansas Written Test – Mine Rescue

Name	e Cor	npany
Team	n Name Tea	m Member No.
1)		ral regulations require mines to a ang all the mine rescue team members that will wery operation.
	a. Haveb. Makeupc. Postd. Both a and c	
2)	Dinner buckets encountered during exploa. They can contain food and/or water for	-
	b. They may contain notes that would inc. They indicate where miners ate their ofd. None of the above.	
3)) Carbon monoxide is:	
	a. gas found in all mining operationsb. a normal constituent of airc. detected during a mine fire or explosid. a product of the breathing process	on
4)) Two instruments commonly used to meas	sure velocity of airflow in a mine are:
	a. Flame safety lamp and smoke tube.b. Smoke tube and CO detector.c. Anemometer and flame safety lamp.d. Smoke tube and anemometer.	
5)) A nontoxic gas can still be dangerous bec	ause it can:
	a. displace oxygenb. burn	

c. explode

d. all of the above

- 6) A mono-ammonium phosphate extinguisher is effective in fighting:
 - a. Class A fires
 - b. Class B fires
 - c. Class C fires
 - d. All of the above
- 7) An elevated concentration of nitrogen in mine air can be harmful because:
 - a. it can lower the oxygen content of the air
 - b. it is highly explosive
 - c. it is highly toxic
 - d. all of the above
- 8) In order to plan a recovery operation, there must be;
 - a. a plan of recovery.
 - b. an initial assessment of underground conditions.
 - c. Plenty of food and water available.
 - d. a mine rescue team willing to help.
- 9) In sealing a fire it is recommended that:
 - a. Only permanent bulkheads be used
 - b. The last intake and last exhaust be sealed simultaneously
 - c. A single air sample tube be used
 - d. All of the above
- 10) The usual procedure when a body is encountered during exploration is:
 - a. Mark location and position of body on map.
 - b. Attach identifying number to body bag.
 - c. Keep all personal belongings of the miner with the body.
 - d. All of the above.
- 11) Two gases that are highly soluble in water are:
 - a. methane and acetylene
 - b. hydrogen sulfide and hydrogen
 - c. nitrogen and sulfur dioxide
 - d. hydrogen sulfide and sulfur dioxide

- 12) Prior to a mine rescue team passing through a door or bulkhead behind which conditions are not definitely known, they should:
 - a. Ask the fresh air base to send in the backup team.
 - b. Erect an air lock to prevent the mixing of atmospheres.
 - c. Open the door or bulkhead and wait at least 10 minutes so that any harmful gases are diffused.
 - d. Never enter such areas.
- 13) Accumulations of hydrogen in the mine atmosphere are dangerous because hydrogen:
 - a. is highly toxic
 - b. is highly soluble in water
 - c. is highly explosive
 - d. gives off a suffocating odor
- 14) During rescue team explorations, the main fan:
 - a. Should be kept running.
 - b. Should be continually monitored.
 - c. Both of the above.
 - d. None of the above.
- 15) An area in the mine closed at both ends by doors or by bulkheads with flaps or doors in them. Used to prevent mixing of different atmospheres while allowing miners to enter and exit is a:
 - a. Barricade
 - b. Refuge Chamber
 - c. Air Lock
 - d. None of the above
- 16) When using a dry chemical extinguisher, you should aim the stream of dry chemical:
 - a. Directly at the flame
 - b. Directly at the smoke
 - c. About 6 inches ahead of the flame edge
 - d. About 12 inches ahead of the flame edge
- 17) Which of the following is not true of sulfur dioxide?
 - a. It is explosive
 - b. it is highly toxic
 - c. it is highly soluble in water
 - d. it can occur during mine fires

18)	The purpose of rescue team exploration is to:
	a. Determine conditions underground.b. Locate missing miners.c. Locate clues or indications of missing miners' locations.d. All of the above.
19)	Acetylene would normally be found in a mine atmosphere where:
	 a. diesel equipment is used b. methane has burned or exploded in air with a lowered oxygen content c. leakage has occurred from adjacent oil or gas wells d. battery charging stations are located
20)	The traverse method is used when:
	a. Taking a reading with a smoke tube.b. Taking a reading with an anemometer.c. Erecting a temporary bulkhead.d. None of the above
21)	Air locking operations should always begin on the of the fire.
	a. return sideb. belt sidec. face sided. intake side
22)	Atmospheric pressure and temperature are important factors because they:
	 a. affect the rate of diffusion of a gas by ventilation b. can cause false readings on gas detection instruments c. lower oxygen content in the mine d. all of the above
23)	Debriefings are held to:
	a. Inform news reporters of developments.b. Inform family members of developments.c. Review the rescue team's findings after they have returned from underground.d. All of the above.

24)	Gases that are neither toxic nor explosive:
	a. are not found in mine atmospheres
	b. are not dangerousc. can be dangerous because they can displace oxygen
	d. cannot be detected with today's detection instruments
25)	Some important information that the mine rescue team should be supplied with while being briefed when miners are missing during a mine emergency are;
	a. Area or areas where they were working and the escape routes used from those areas
	b. Likely places where miners would erect barricades
	c. Location of any refuge chambers and ventilation boreholes where miners could obtain fresh air
	d. All of the above.
26)	Determining the exact time to unseal a fire area is based on;
	a. the laws of physics and chemistry.
	b. an educated guess and what the boss says.
	c. experience and sound judgement.
	d. both a and c
27)	The team is under the direct supervision of the They also work and communicate with the designated official(s) who are responsible for coordinating the
	work carried out by mine rescue teams.
	a. briefing officer
	b. map man
	c. team captain d. team trainer
28)	It is important to establish a clear chain-of-command so that rescue and recovery work can be well coordinated. Located at the top of the chain-of-command is:
	Mina Canadinton Lant
	a. Mine Superintendentb. Captain on the team
	c. Secretary of Labor
	d. President of the company

- 29) "Pogo sticks" are devices that are used:
 - a. To test ground conditions.
 - b. To measure air velocity.
 - c. To determine direction of airflow.
 - d. As supports on which brattice cloth can be hung.
- 30) Mine rescue teams are required by Federal law to have available:
 - a. one detecting device for each gas normally encountered in the mine(s) the team serves
 - b. one detecting device for each gas normally encountered in the mine(s) the team serves
 - c. four detecting devices for each gas normally encountered in the mine(s) the team serves
 - d. one detecting device for each team member